



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

## MORBIDITY AND MORTALITY.

## WEEKLY MORBIDITY AND MORTALITY TABLE, CITIES OF THE UNITED STATES, FOR WEEK ENDED NOVEMBER 5.

[For smallpox and plague see special tables.]

Cities.	Total deaths from all causes.	Tuber- culosis.		Ty- phoid fever.		Scarlet fever.		Diph- theria.		Measles.		Whoop- ing cough.	
		Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Altoona, Pa.	6			2				4					
Ann Arbor, Mich.	3												
Auburn, N. Y.	7		2	1				2		1			
Aurora, Ill.	13					2		1					
Baltimore, Md.	199	36	25	68	8	15		28		15		2	
Bayonne, N. J.				1		1		12	2				
Beaver Falls, Pa.						1							
Bedford, Ind.		1		10									
Bennington, Vt.	3							5					
Biddeford, Me.	3					2		2					
Binghamton, N. Y.	14	1	1	3	1			2					
Boston, Mass.	193	60	17	28	8	38	1	39	1	8	1	6	
Braddock, Pa.	11		1	1		2		3	1				
Bridgeport, Conn.	24	1		1				10					
Brockton, Mass.	11	1		1		2				10			
Buffalo, N. Y.	129	17	12	12	1	42	6	39	4	7		21	2
Cambridge, Mass.	33	4	5	6	2	3		3		6			
Cambridge, Ohio.	2			4	1								
Camden, N. J.		1		2		6		4	2				
Camden, S. C.	1												
Canton, Ohio.	12		2		1			1					
Carbondale, Pa.	9					2							
Charlotte, N. C.	13				1			2					
Chelsea, Mass.	12		1			6							
Chicago, Ill.	572	136	54	65	9	106	6	210	26	17	1	13	
Chicopee, Mass.	7							1		1		3	
Cincinnati, Ohio.	106	17	10	3		20		12					
Cleveland, Ohio.	123	22		16	4	17	1	32	3	1		4	
Coffeeville, Kans.	3	1		2		3							
Columbus, Ga.	6				1								
Columbus, Ind.	5					1							
Columbus, Ohio.	46	4	9	5	1	3		15				1	
Concord, N. H.	5		2	1									
Covington, Ky.	13		3	1		6		7	1				
Cumberland, Md.	23		2	26	3			1					
Danville, Ill.		1				2							
Dayton, Ohio.	30		4			6		2					
Duluth, Minn.	24	1	2	2	4	5		5	1	5			
Dunkirk, N. Y.	3		1			6	1	4		5		1	
Elizabeth, N. J.	25		1			2	1	7	1				
Elmira, N. Y.	8	9		1									
El Paso, Tex.	19	2	8										
Elyria, Ohio.	9				1								
Erie, Pa.	18	1	1	3		11		7	1	1			
Evansville, Ind.	27	2	3	5	1	1		4		1			
Everett, Mass.	7	1	1			3	2	1					
Fall River, Mass.	32	5	3	3		3	2	3	2			4	
Fort Wayne, Ind.		1		21		17		17					
Freeport, Ill.	4			1									
Galesburg, Ill.	6			15		1				25			
Gloucester, Mass.	10		1										
Grand Rapids, Mich.	33		5	6	2	5		3	1	8		2	
Greensboro, N. C.	2							1					
Hartford, Conn.	32	3	4			3		11					
Haverhill, Mass.	15			3				1					
Hoboken, N. J.						2		3					
Hyde Park, Mass.	9	2		8	5					5			
Jacksonville, Fla.	23		3			1		1	1				
Kalamazoo, Mich.		1	1	4	1	5				16	1	5	
Kansas City, Kans.	22	4	2	12	1	5		8		1		1	
Kearny, N. J.	4							2		7			
Kingston, N. Y.	6												
Knoxville, Tenn.	7		1					1	1	9			
La Crosse, Wis.	6		1	1		5		1					
La Fayette, Ind.	6												
Lancaster, Pa.	17	1	2					4	1	2		4	
Lawrence, Mass.	20	8	1	1		3		5	2				
Lebanon, Pa.	5	8		1				1					

## MORBIDITY AND MORTALITY—Continued.

*Weekly morbidity and mortality table, cities of the United States, for week ended  
November 5—Continued.*

Cities.	Total deaths from all causes.	Tuber- culosis.		Ty- phoid fever.		Scarlet fever.		Diph- theria.		Measles.		Whoop- ing cough.	
		Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Lexington, Ky.	15	6	2	1				1					
Lynchburg, Va.		1		1		2		3					
Lynn, Mass.	26	1	6					3		5			
M Keesport, Pa.	18	1		4	2	3		3				5	
Malden, Mass.	8	4		1		2		1					
Manchester, N. H.	18	1		1				3					
Manistee, Mich.	1	1		2		4	1						
Marinette, Wis.	3			2		1	1	1					
Marlboro, Mass.	3		1	1									
Massillon, Ohio.	3												
Medford, Ohio.	5							2		2			
Melrose, Mass.	6		2			2		1					
Milwaukee, Wis.	76	12	11	13		34	1	27	1	1			
Mobile, Ala.	25		6			2	1	2	1				
Moline, Ill.	3			1				6					
Montclair, N. J.	3	1	1			1							
Montgomery, Ala.	26	1	3	3	1	11							
Morristown, N. J.	4					2		3					
Mount Vernon, N. Y.	10		1	2		2							
Muskegon, Mich.												1	
Nanticoke, Pa.	6							8	1				
Nashville, Tenn.	31		3	6		6		15	1	1			
Newark, N. J.	96	12	9	5		25		29	5		1		
New Bedford, Mass.	22	1	4	2		6		3	1	1			
Newburyport, Mass.	6												
New Orleans, La.	149	48	24	9	1	18		24	2	5	1		1
Newport, Ky.	9					1		1	1				
Newton, Mass.	8					3		3	1				
New York, N. Y.	1,226	518	151	82	15	128	6	311	23	97	6	39	3
Niagara Falls, N. Y.	9	2	3		1	1							
Norristown, Pa.	12	5	1	1				1					
North Adams, Mass.	6	2		1		1				2			
Northampton, Mass.	3	4		1				1					
Orange, N. J.	10	5		2		4		2					
Ottumwa, Iowa.	9	2					1						
Paducah, Ky.	5		1										
Palmer, Mass.	4							1					
Peekskill, N. Y.	6	1											
Pittsburg, Pa.	177	19	11	16	4	26	2	30	5	3		11	3
Pittsfield, Mass.	12			2		2		3		18			
Plainfield, N. J.	6		2					4		2			
Portsmouth, N. H.				1				1					
Portsmouth, Va.	18							2	1				
Pottstown, Pa.	5												
Providence, R. I.	67	9	8	6	3	8		7				1	1
Reading, Pa.	24	2	2	7		5		3	1	2		9	
Rock Island, Ill.	4	1	1			1		5					
St. Louis, Mo.	222	33	18	25	3	32	1	44	4	54		5	1
Salt Lake City, Utah.	16			14		4		12	1				
San Antonio, Tex.	10		10	4				1					
Sandusky, Ohio.	8			1				1		1			
San Francisco, Cal.	125	23	7	7		9	1	2		8		1	
Saratoga Springs, N. Y.	5												
Schenectady, N. Y.	15	2	2	1		2		5				4	
Somerville, Mass.	19	1	1	1	1			3					
South Bend, Ind.	14	2	1			9		1					
Spokane, Wash.	24		1	4	2	10		4	1				
Springfield, Mass.	21	1		1		1		14	1				
Steelton, Pa.	2	2		1				9					
Superior, Wis.	5		1					4	1				
Tacoma, Wash.	18			13		1	1	2					
Taunton, Mass.	9					3		1					
Toledo, Ohio.	36		1	5	1	2		10		2			
Topeka, Kans.						1		1					
Trenton, N. J.	5	7	5	8		3		2					
Waltham, Mass.	1												
Warren, Ohio.	2												
Washington, D. C.	136	24	15	20	2	6		6	1	1		6	
Wheeling, W. Va.	20	2	2	2				11					
Wichita, Kans.	13							4	1				
Wilkes-Barre, Pa.	16	2	1	1		1		7				4	

## MORBIDITY AND MORTALITY—Continued.

*Weekly morbidity and mortality table, cities of the United States, for week ended November 5—Continued.*

Cities.	Total deaths from all causes.	Tuber- culosis.		Ty- phoid fever.		Scarlet fever.		Diph- theria.		Measles.		Whoop- ing cough.	
		Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Wilkinsburg, Pa. ....	6	5	...	1	1	...	...	...	...	...	...	...	...
Williamsport, Pa. ....	5	...	...	...	...	1	...	...	...	...	...	...	...
Wilmington, Del. ....	24	...	1	...	1	...	...	...	...	...	...	...	...
Woburn, Mass. ....	4	...	...	...	...	...	...	...	...	1	...	...	...
Worcester, Mass. ....	45	1	4	1	...	4	...	19	1	4	...	3	3
Yonkers, N. Y. ....	28	1	2	1	1	1	...	2	...	...	...	4	...
York, Pa. ....	...	1	...	1	...	3	...	4	...	1	...	3	...
Zanesville, Ohio. ....	6	...	...	4	...	...	...	...	...	...	...	...	...

**STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES (untabulated).**

**FLORIDA.**—Week ended November 12, 1910. Reports from the state board of health show typhoid fever present in 3 localities with 3 cases, smallpox in 4 counties (Dade, Escambia, Hillsboro, and Osceola) with 17 cases, scarlet fever in 1 locality with 1 case, diphtheria in 4 localities with 6 cases, malaria in 6 localities with 17 cases, and tuberculosis in 2 localities with 2 cases.

**IOWA—Cedar Rapids.**—Month of October, 1910. Population, 33,817. Total number of deaths from all causes 30, including typhoid fever 4, diphtheria 1, tuberculosis 3. Cases reported: Smallpox 4, diphtheria 7.

**LOUISIANA—Shreveport.**—Month of October, 1910. Population, 30,000. Total number of deaths from all causes 84, resident 40, nonresident 44; including typhoid fever 1, pellagra 2, nonresident; tuberculosis 13, resident 5, nonresident 8.

**MASSACHUSETTS.**—Week ended September 3, 1910. Population of reporting towns, 2,337,591. Total number of deaths from all causes 711, including typhoid fever 10, measles 3, scarlet fever 2, diphtheria 9, tuberculosis 55.

Week ended September 10, 1910. Population of reporting towns, 2,358,640. Total number of deaths from all causes 738, including typhoid fever 15, measles 2, scarlet fever 1, diphtheria 14, tuberculosis 66.

Week ended September 17, 1910. Population of reporting towns, 2,331,168. Total number of deaths 716, including typhoid fever 11, diphtheria 9, tuberculosis 75.

Week ended September 24, 1910. Population of reporting towns 2,345,918. Total number of deaths 784, including typhoid fever 11 scarlet fever 1, diphtheria 10, tuberculosis 68.